



RESEARCH ARTICLE

QUANTUM ENTANGLEMENT AND DEATH: INVESTIGATING THE BIOLOGICAL EFFECTS OF CONSUMING DEAD ANIMALS; HOW EATING DEATH DISRUPTS BIOLOGICAL HARMONY THRU THE QUANTUM FIELD

* Dr. Isa-Allena N.D., OMD, PhD

Director and Lead Research Doctor, Research Department, Los Angeles, California, USA

ARTICLE INFO

Article History:

Received 20th December, 2024

Received in revised form

19th January, 2025

Accepted 26th February, 2025

Published online 30th March, 2025

Key words:

Quantum Entanglement, Meat Consumption, Death Processes, Biological Confusion, Homeostasis, Degenerative Diseases, bio-Frequencies, Cellular Communication, Autophagy vs Decomposition, Proper Nutrition.

*Corresponding author:

Dr. Isa-Allena N.D., OMD, PhD

ABSTRACT

Does eating death bring death? Knowing the old saying “we are what we eat” this paper investigates the intersection of life, death, and Quantum Entanglement (QE); focusing on the physiological consequences of consuming dead animals in meat, and animal products, but how and through what pathway this may affect our health. We explore the conflict between life-sustaining processes like autophagy and death-associated processes like decomposition working simultaneously within the human body following ingestion of dead animal tissue. Our hypothesis posits that this consumption of “Death” introduces “biological confusion” at the cellular and molecular level, as the living body struggles to regain balance and reconcile after continual invasion with contaminated negative microbes and bio-frequencies from “death” this causes disruption of homeostasis. Disruption leads to imbalance in cells hijacked by the death process and spreads outward. This causes a shift, and an orchestration of bio-frequencies to send out a “death signal” throughout the body, which prompts a fundamental question within... “Should life or death predominate here?” We propose that a regular diet of “death” supports this continual internal conflict which then contributes to a pathological cascade of development, leading towards the pathophysiological processes that lead to disease and the long-term degenerative processes. In shining a light on this potential pathway by which QE facilitates quantum level transmission of “death” through entanglement, we consider the implications of this “biological confusion” for human health, and suggest moving forward towards a more optimal nutritional support for life.

Copyright©2024, Dr. Isa-Allena N.D., OMD, PhD. 2025. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Citation: Dr. Isa-Allena N.D., OMD, PhD. 2025. “Quantum entanglement and death: investigating the biological effects of consuming dead animals; how eating death disrupts biological harmony thru the quantum field”. *International Journal of Current Research*, 17, (03), 32273-32278.

INTRODUCTION

Quantum entanglement (QE) (1, 2), responsible for the “spooky action at a distance” described by Einstein (1,2), has been increasingly recognized as a potential factor that impacts biological systems, through the quantum field; because what happens to one cell, happens to another - regardless of distance. While research (3) on QE in living organisms is still in its early stages, the established (1) interconnectedness of entangled cells and molecules raises questions about QE’s role in complex biological processes, including those related to life and death. This paper further examines the hypothesis that consuming “Death” - which is still very much “alive” with the virulence of the Decomposition process entangles death molecules with life molecules which harms bio - systems attempting to work at sync within the body. Death and Life work in opposing ways and therefore don’t combine well in the body; this is not natural. Autophagy works towards life and toils to rid the body of damaged and dead cells and therefore manages the body in life, but these autophagic processes are lost when the body is in Bio-Confusion, because in death Autophagy ceases. That means in each cell, as Klionsky,

Petroni, and Amaravadi (13) state, “Autophagy is a core molecular pathway for the preservation of cellular and organismal homeostasis,” and this, along with other vital homeostatic processes, are all disrupted upon death. We know that death immediately shuts down the body, this includes the autophagic process, and other life-sustaining systems within. Death directly interferes with all life-supporting endogenous processes but supports the decomposition processes. We will explore what happens on the quantum molecular level of each cell during this; where life and death struggle to prevail, we know only one process can lead there, and that what leads, all bio-systems must follow. This becomes a deadly cycle with repeated meals of Death, creating repeated episodes of cross-contamination and pollution, which initiates shared death disruption through bio-frequencies directly. This death induced “bio-confusion” ultimately works against health and longevity, contributing instead to decay with less opposition, and this adds to the overall deadly decline in health, longevity and appearance (3) associated with aging (4, 5, 6, 7), because we are what we eat! It also leads to chronic debilitation (2), chronic illness (8), and even cancer (9, 10, 11, 12). Excessive Meat (13) and poor diet has also directly been linked, to certain

mental health decline (14, 15, 16, 17, 18), as the consumption of dead animal tissue is shown to contribute to systemic chronic inflammation, (19, 20, 21, 22, 23, 24) impact brain function and behavior (25), increase the risk of mental health dysfunction, (26) and it is also linked to depression (27, 28) mental illness (29) and structural changes (30, 31), like plaques, atrophy, stroke (32) and even neurodegenerative diseases. (33, 34).

Death Frequencies and Cellular Awareness: When we explore the potential mechanisms by which this "biological confusion" occurs internally, it is apparent that with continual consumption, "Death" contamination will cyclically contribute to daily degenerative health decline. On an energetic level, we see that the bio-frequencies active within molecules play a crucial role in intercellular communication and regulation within a living organism. It is through these mechanisms that live cells sync together; but when they encounter "death" frequencies, the body's systems are immediately hijacked and clearly altered. They are disrupted by this energetic entanglement with "death processes" underway with decomposition connection to the decaying flesh that has entered the body. The body discovers "Death" internally through the immune system security, and has to get involved; the immune response knows that death is dangerous, it utilizes "cellular awareness" (35, 36) to scan and secure surroundings and to protect itself from death. Dying cells release "find me" signals, like chemical attractants, to alert nearby cells, especially immune cells called phagocytes, to their location. Then, as the dying cell dies, it displays "eat me" signals, such as phosphatidylserine on its surface, which flag it for engulfment and removal by those phagocytes what that looks like is phagocytosis - this process is a primary mechanism by which immune cells eliminate pathogens - it does Cellular Cleanup removing dead or dying cells apoptotic cells) and other cellular debris and also works to maintain tissue homeostasis.

The critical issues is that the phagocytosis process is also used for nutrient Uptake: it does play crucial roles related to nutrient acquisition and processing:and is a vital "cell eating" process that plays essential roles in immunity, tissue maintenance, and nutrient acquisition - which can cause an additional issue of the body having to assimilate dead, decaying and diseased cells. On an atmospheric level, there is a strong distress alarm sent out, related to the close proximity death. This alarm and "cellular awareness" in the body knowing that "death" is nearby is widely observed in organisms, including humans, animals, and even plants. They all exhibit behaviors that suggest an awareness of, avoidance of death or fear of dying. (37) this is to protect oneself. We as humans are the same and feel repulsed by death, wanting to remove ourselves from the presence of death or a decaying corpse, this is instinct.

Cortisol Stress Hormones & Death: Death is a *highly* traumatic event, and it can trigger a powerful stress response, this can include a surge in cortisol. The moment we are aware of death or a threat, the body goes into stress mode - The sight, smell, or even the concept of death can be a significant stressor; whether physical or psychological, it can lead to the release of cortisol. That's because Death in many ways is a direct threat to one's own safety and well-being, it is a deeply disturbing emotional experience; when we see that the presence of Death causes reactions, then we know that the consumption of Death also causes stress, emotional distress,

fear, unease and triggers thoughts about mortality. Cortisol levels rise in the slaughtered animals too, this transfers into the consumer's bloodstream (1, 2, 3). Stress Hormones play a role; animals experience stress during slaughter, which triggers the release of hormones like cortisol and adrenaline (epinephrine). These hormones have a presence in Meat, and can indeed be present in the animal's tissues at the time of consumption. The levels will depend on the degree and duration of stress the animal experienced. This does have a negative Impact on Meat Quality; stress hormones can affect meat quality. For example, adrenaline can lead to a rapid depletion of glycogen in muscles, resulting in a higher pH and "dark, firm, and dry" (DFD) meat, which has a shorter shelf life and undesirable texture. Cortisol can also influence muscle metabolism and affect meat tenderness. As Cortisol enters the body, its "fight-or-flight" response is activated, preparing the individual to either confront the threat or escape. This impacts homeostasis, mental wellness as well and can lend to feeling uneasy. The relevance here is about what happens in proximity to death, in the healthy cell... death impacts cellular instinct and behavior.

No Power for Cells: Another important fact is, that upon death, the cell loses its energy supply (ATP) and the organized processes that maintain its structure and function of the cell. With both lost the energy and shape of the cell are jeopardized. Due to this, a debilitating cascade begins where surrounding cells nearby will echo this power loss "shut down" and the action of death begins to predominate and spread throughout the body. This includes the cessation of active transport, cellular signaling, and other energy-dependent processes. This leaves a cell useless to defend itself so it joins a line of dead cells and the number continues to increase. Disrupted by the influx of foreign, toxic, decaying matter, this wave of death from cell to cell leads to more "biological confusion."

Chronic Inflammation

As cells die, studies show (38) that the consumption of dead animal tissue is linked to long-term health consequences, and chronic low-grade stress from inflammation.

"Higher red and processed meat consumption were positively associated with inflammatory and metabolic markers..."
Shiraseb

The consumption of dead flesh can trigger chronic inflammation within the body. This persistent inflammatory state, driven by the immune system's response to foreign and potentially harmful substances in dead animal tissue, is a key factor in the development of many chronic illnesses⁽⁴³⁾. Conditions like cardiovascular disease, cancer, autoimmune diseases, and neurodegenerative disorders have all been linked to chronic inflammation. The ongoing burden of processing

¹ How pre-slaughter stress impacts meat quality | AHDB. <https://ahdb.org.uk/knowledge-library/how-pre-slaughter-stress-impacts-meat-quality>

² Pruszkowska-Przybylska P, Sitek A, Rosset I, et al. Cortisol concentration affects fat and muscle mass among Polish children aged 6-13 years. *BMC Pediatr.* 2021;21(1):365. Published 2021 Aug 27. doi:10.1186/s12887-021-02837-3

³ Bozzo G, Barrasso R, Marchetti P, et al. Analysis of Stress Indicators for Evaluation of Animal Welfare and Meat Quality in Traditional and Jewish Slaughtering. *Animals (Basel).* 2018;8(4):43. Published 2018 Mar 21. doi:10.3390/ani8040043

dead tissue and the resulting "biological confusion" contribute to this inflammatory cascade, increasing the risk of these debilitating diseases over time. Conditions like cardiovascular disease, cancer, autoimmune diseases, and neurodegenerative disorders are linked to chronic inflammation. The ongoing burden and "biological confusion" contribute to this inflammatory cascade, increasing the risk of these diseases.

Consumption Entanglement and Quantum Entanglement:

Physical and Quantum entanglement are linked and when foreign dead cells are consumed, the cells in the body are absorbing their foreign information; they sync into energetic correlation through biological systems and will live together or die together. This connection is important because we must look at how particles become linked; and how this type of physical and quantum entanglement is involved in the complex sync of our internal physiological systems. The combined profound interconnectedness between consumed cells and the consumer suggests that when we ingest cells, we aren't just taking in nutrients; we are taking the complex information and energetic fields within those cells as instructions. This interaction leads to an instructed synchronization, and correlation, with the ingester and the ingested cells' biological systems. A type of physical and quantum entanglement, observed in the complex interplay of biochemical and molecular interactions, may explain this synchronization. This entanglement can be understood through the lens of cellular communication. Cells constantly communicate with each other through intricate signaling pathways, responding to their environment in a highly coordinated manner.

Consuming Death and Decay Related Health Decline: With this coordinated manner particularly dead cells decomposing, this sync will disrupt existing cellular communication networks. This disruption can manifest in various ways, including inflammation, immune system dysfunction, and the impairment of cellular repair mechanisms like Autophagy. The body's ongoing effort to process this influx of foreign, and decaying, material creates a chronic burden, further contributing to cyclical debilitation related to the "biological confusion" from decomposition; studies show this is linked to long-term health decline.⁽⁴⁸⁾ Increased Oxidative Stress is a consequence of consuming dead animal tissue and it contributes to increased oxidative stress (6, 7) and disease due to pro-oxidant molecules (like heme iron) and free radical generation during digestion and metabolism. Free radicals damage cellular components, contributing to aging, debilitation, and disease, potentially exacerbated by QE and Long-Term Degeneration which is the cumulative effect of biological entanglement may contribute to degenerative diseases like cardiovascular disease, cancer, and neurodegenerative disorders, characterized by declining cellular function and tissue integrity, potentially linked to chronic disruption of quantum processes (8).

The Microbial Element must not be ignored either: parasites, worms, bacteria, and more enter the body through meat consumption and this complex role of parasites and microbiota in decomposition and digestion collide. In decomposition, a diverse community breaks down organic matter, and certain parasites are linked to increased cancer risk. Several studies show there is an extremely high rate of colon cancer related to meat consumption.^(56, 57, 58, 59,60, 61) The Negative Consequences of contaminating the living body with decaying, decomposing flesh are unavoidable and immediate. Starting

with the digestive system (49,50,51) Quantum and Physical Entanglement ensure the connections work holistically, not in isolation, so as death is introduced into the body through consumption, it is shared throughout the body on all levels. We must also include Burn Tissue treatment approaches and learn from them. Burn tissue is another form of dead flesh that contaminates and intermingles with the body's healthy flesh and it is known that it can be deadly in toxicity and in how it shares an atmosphere of decomposition with nearby flesh. Burn experts know that supporting burnt flesh can be detrimental and that it must be removed; this is why burns must be debrided, (62,63, 64, 65,66, 67) and new skin grafted to facilitate healing. If not, Burn tissue poses a significant risk of sepsis, which is a life-threatening condition caused by the body's overwhelming response to an infection. This risk arises from the burn wound's susceptibility to bacterial colonization and the potential for these bacteria to enter the bloodstream, leading to systemic infection, sepsis and potentially death.⁽⁶⁸⁾ Being infected by dead flesh is a destructive condition that shares similarities with severe burn injuries. Just as burned tissue, particularly in 3rd-degree burns, must be debrided, (69,70, 71) and removed from the outside to prevent further damage and promote healing, so too does decomposing flesh necessitate removal from the inside.

As Herndon, et al. state in *Total Burn Care* "The magnitude of the systemic response is directly related to the extent of the injury" (Herndon, 2012). Due to specific pathophysiological processes that result from severe burns, burnt flesh will always continue to decay and decompose, potentially leading to infection and further complications. Consumed flesh will also continue to decay and decompose, triggering an immediate immune driven response that signals autophagic bio-systems to shut off and the mortal breakdown of biological material in the body.

"...Compromised host defence from the disrupted skin barrier in patients with burn injury leads to increased susceptibility to infection (predominantly bacterial, but also yeast, fungal and viral), increased virulence from specific pathogenic organisms and the subsequent development of organ failure..."^(3,4)

Diet of Death Revised: In review, multiple studies show that Dietary choices of "Death" have negative effects on health, mental state and quality of life; with an insistent need for improvement in nutritional intake, we need to choose options that help prevent disease and to ensure health, mental wellness, longevity, and vigor.; giving us a chance at life extending beyond early "death" from debilitating habits, and pushing us into a new type of life-cycle that is supported by better nutritional habits, with superior assimilation and options that supports life.

CONCLUSION

This discussion paper looks closely at the impact of consuming "Death" in dead animal flesh, and explores the complex entanglement of life with death through consumption. Biologically, we know the immune response will fight the contamination of death, even in burn injuries; with digestion,

⁴Jeschke MG, van Baar ME, Choudhry MA, Chung KK, Gibran NS, Logsetty S. Burn injury. *Nat Rev Dis Primers*. 2020;6(1):11. Published 2020 Feb 13. doi:10.1038/s41572-020-0145-5

death will be absorbed, but there is quantum confusion in the body's systems - sharing decomposition and its debilitating impact. Research shows that excessive consumption of meat is a disruptive influence to the body's biochemistry, highlighting the possibility that dietary choices may exert a far greater impact on our well-being than previously understood. If the "biological confusion" hypothesis holds true, it suggests that the regular consumption of dead animal products chronically undermines vital cellular processes over time linking the body to "death" through QE. This, contributing to a cascade of negative health outcomes, including chronic inflammation, increased oxidative stress, mental health decline, and the development of degenerative diseases. Future research should prioritize developing methodologies to quantify the effects of entangled "death" molecules and altered bio-frequencies from dietary sources on human physiology. We also need to explore the potential benefits of healthier dietary interventions⁽²⁾ that minimize the intake of "Death" and instead support healthy dietary choices that promote a healthier life and the body's natural rebalancing and rejuvenating processes.

REFERENCES

- Horodecki R, Horodecki P, Horodecki M, Horodecki K. Quantum entanglement. *Reviews of Modern Physics*. <https://doi.org/10.1103/revmodphys.81.865>
- Kunkel P, Prüfer M, Lannig S, et al. Detecting Entanglement Structure in Continuous Many-Body Quantum Systems. *Phys Rev Lett*. 2022;128(2):020402. doi:10.1103/PhysRevLett.128.020402
- Kunkel P, Prüfer M, Lannig S, et al. Detecting Entanglement Structure in Continuous Many-Body Quantum Systems. *Phys Rev Lett*. 2022;128(2):020402. doi:10.1103/PhysRevLett.128.020402
- Liu S, Deng Y, Liu H, et al. Causal Relationship between Meat Intake and Biological Aging: Evidence from Mendelian Randomization Analysis. *Nutrients*. 2024;16(15):2433. Published 2024 Jul 26. doi:10.3390/nu16152433
- Chen J, Xu W, Dan L, et al. Associations between meat consumption and all-cause and cause-specific mortality in middle-aged and older adults with frailty. *J Nutr Health Aging*. 2024;28(4):100191. doi:10.1016/j.jnha.2024.100191
- Kouvari M, Tyrovolas S, Panagiotakos DB. Red meat consumption and healthy ageing: A review. *Maturitas*. 2016;84:17-24. doi:10.1016/j.maturitas.2015.11.006
- Wolk A. Potential health hazards of eating red meat. *J Intern Med*. 2017;281(2):106-122. doi:10.1111/joim.12543
- Händel MN, Cardoso I, Rasmussen KM, et al. Processed meat intake and chronic disease morbidity and mortality: An overview of systematic reviews and meta-analyses. *PLoS One*. 2019;14(10):e0223883. Published 2019 Oct 17. doi:10.1371/journal.pone.0223883
- Hu J, La Vecchia C, Morrison H, Negri E, Mery L; Canadian Cancer Registries Epidemiology Research Group. Salt, processed meat and the risk of cancer. *Eur J Cancer Prev*. 2011;20(2):132-139. doi:10.1097/CEJ.0b013e3283283429e32
- Huncharek M, Kupelnick B. A meta-analysis of maternal cured meat consumption during pregnancy and the risk of childhood brain tumors. *Neuroepidemiology*. 2004;23(1-2):78-84. doi:10.1159/000073979
- Huncharek M, Kupelnick B, Wheeler L. Dietary cured meat and the risk of adult glioma: a meta-analysis of nine observational studies. *J Environ Pathol Toxicol Oncol*. 2003;22(2):129-137. doi:10.1615/jenvpathtoxconcol.v22.i2.60
- Virtanen JK, Siscovick DS, Longstreth WT Jr, Kuller LH, Mozaffarian D. Fish consumption and risk of subclinical brain abnormalities on MRI in older adults. *Neurology*. 2008;71(6):439-446. doi:10.1212/01.wnl.0000324414.12665.b0
- Wang Z, Bergeron N, Levison BS, et al. Impact of chronic dietary red meat, white meat, or non-meat protein on trimethylamine N-oxide metabolism and renal excretion in healthy men and women. *Eur Heart J*. 2019;40(7):583-594. doi:10.1093/eurheartj/ehy799
- Leeming M. Inflamed 'meat that thinks': A depressed person's perspective on inflammation and depression. *Brain Behav Immun*. 2018;74:1-2. doi:10.1016/j.bbi.2018.07.019
- Liu M, Wang W, Chen Y, et al. Genetically predicted processed meat, red meat intake, and risk of mental disorders: A multivariable Mendelian randomization analysis. *J Affect Disord*. 2024;354:603-610. doi:10.1016/j.jad.2024.03.084
- Zhang H, Hardie L, Bawajeeh AO, Cade J. Meat Consumption, Cognitive Function and Disorders: A Systematic Review with Narrative Synthesis and Meta-Analysis. *Nutrients*. 2020;12(5):1528. Published 2020 May 24. doi:10.3390/nu12051528
- Grant WB. Using Multicountry Ecological and Observational Studies to Determine Dietary Risk Factors for Alzheimer's Disease. *J Am Coll Nutr*. 2016;35(5):476-489. doi:10.1080/07315724.2016.1161566
- Ammar AM, Nabi SA, El-Ghani HMA. Correlation between toxoplasmosis and schizophrenia in Egyptian patients and its impact on dopamine serum levels. *Acta Trop*. 2024;256:107263. doi:10.1016/j.actatropica.2024.107263
- Hess JM, Stephensen CB, Kratz M, Bolling BW. Exploring the Links between Diet and Inflammation: Dairy Foods as Case Studies. *Adv Nutr*. 2021;12(Suppl 1):1S-13S. doi:10.1093/advances/nmab108
- Ahmad MI, Zou X, Ijaz MU, et al. Processed Meat Protein Promoted Inflammation and Hepatic Lipogenesis by Upregulating Nrf2/Keap1 Signaling Pathway in Glrx-Deficient Mice. *J Agric Food Chem*. 2019;67(32):8794-8809. doi:10.1021/acs.jafc.9b03136
- Gao J, Guo X, Wei W, et al. The Association of Fried Meat Consumption With the Gut Microbiota and Fecal Metabolites and Its Impact on Glucose Homeostasis, Intestinal Endotoxin Levels, and Systemic Inflammation: A Randomized Controlled-Feeding Trial. *Diabetes Care*. 2021;44(9):1970-1979. doi:10.2337/dc21-0099
- Samraj AN, Pearce OM, Läubli H, et al. A red meat-derived glycan promotes inflammation and cancer progression. *Proc Natl Acad Sci U S A*. 2015;112(2):542-547. doi:10.1073/pnas.1417508112
- Mazidi M, Kengne AP, George ES, Siervo M. The association of red meat intake with inflammation and circulating intermediate biomarkers of type 2 diabetes is mediated by central adiposity. *Br J Nutr*. 2021;125(9):1043-1050. doi:10.1017/S0007114519002149
- Schwedhelm C, Pischon T, Rohrmann S, Himmerich H, Linseisen J, Nimptsch K. Plasma Inflammation Markers of the Tumor Necrosis Factor Pathway but Not C-Reactive Protein Are Associated with Processed Meat and Unprocessed Red Meat Consumption in Bavarian Adults. *J Nutr*. 2017;147(1):78-85. doi:10.3945/jn.116.237180

25. Virtanen JK, Siscovick DS, Longstreth WT Jr, Kuller LH, Mozaffarian D. Fish consumption and risk of subclinical brain abnormalities on MRI in older adults. *Neurology*. 2008;71(6):439-446. doi:10.1212/01.wnl.0000324414.12665.b0
26. Zhang H, Greenwood DC, Risch HA, Bunce D, Hardie LJ, Cade JE. Meat consumption and risk of incident dementia: cohort study of 493,888 UK Biobank participants. *Am J Clin Nutr*. 2021;114(1):175-184. doi:10.1093/ajcn/nqab028
27. Dobersek U, Wy G, Adkins J, et al. Meat and mental health: a systematic review of meat abstinence and depression, anxiety, and related phenomena. *Crit Rev Food Sci Nutr*. 2021;61(4):622-635. doi:10.1080/10408398.2020.1741505
28. Leeming M. Inflamed 'meat that thinks': A depressed person's perspective on inflammation and depression. *Brain Behav Immun*. 2018;74:1-2. doi:10.1016/j.bbi.2018.07.019
29. Khambadkone SG, Corder ZA, Dickerson F, et al. Nitrated meat products are associated with mania in humans and altered behavior and brain gene expression in rats. *Mol Psychiatry*. 2020;25(3):560-571. doi:10.1038/s41380-018-0105-6
30. Schwarz A, Hernandez L, Arefin S, et al. Sweet, bloody consumption - what we eat and how it affects vascular ageing, the BBB and kidney health in CKD. *Gut Microbes*. 2024;16(1):2341449. doi:10.1080/19490976.2024.2341449
31. Virtanen JK, Siscovick DS, Longstreth WT Jr, Kuller LH, Mozaffarian D. Fish consumption and risk of subclinical brain abnormalities on MRI in older adults. *Neurology*. 2008;71(6):439-446. doi:10.1212/01.wnl.0000324414.12665.b0
32. Chen GC, Lv DB, Pang Z, Liu QF. Red and processed meat consumption and risk of stroke: a meta-analysis of prospective cohort studies. *Eur J Clin Nutr*. 2013;67(1):91-95. doi:10.1038/ejcn.2012.180
33. Parent MB, Higgs S, Cheke LG, Kanoski SE. Memory and eating: A bidirectional relationship implicated in obesity. *Neurosci Biobehav Rev*. 2022;132:110-129. doi:10.1016/j.neubiorev.2021.10.051
34. Quan W, Xu Y, Luo J, et al. Association of dietary meat consumption habits with neurodegenerative cognitive impairment: an updated systematic review and dose-response meta-analysis of 24 prospective cohort studies. *Food Funct*. 2022;13(24):12590-12601. Published 2022 Dec 13. doi:10.1039/d2fo03168j
35. Ravichandran, K. S. (2011). Beginnings of a Good Apoptotic Meal: The Find-Me and Eat-Me Signaling Pathways.
36. Park, S.-Y., & Kim, I.-S. (2017). Engulfment signals and the phagocytic machinery for apoptotic cell clearance. *Current Opinion in Cell Biology*, 44, 108–115.
37. Necrophobic behavior in *Drosophila melanogaster* is mediated by octopamine signaling" by Suh, G. S. B., et al. (2004). *Current Biology*, 14(18), 1696–1700.
38. Red, white, and processed meat consumption related to inflammatory and metabolic biomarkers among overweight and obese women" by Shiraseb, F., et al. (2022). *Frontiers in Nutrition*, 9, 1015566.
39. Wolk A. Potential health hazards of eating red meat. *J Intern Med*. 2017;281(2):106-122. doi:10.1111/joim.12543
40. Händel MN, Cardoso I, Rasmussen KM, et al. Processed meat intake and chronic disease morbidity and mortality: An overview of systematic reviews and meta-analyses. *PLoS One*. 2019;14(10):e0223883. Published 2019 Oct 17. doi:10.1371/journal.pone.0223883
41. Wolk A. Potential health hazards of eating red meat. *J Intern Med*. 2017;281(2):106-122. doi:10.1111/joim.12543
42. Fan S, Gao H, Zhang Y, et al. Quantum Sensing of Free Radical Generation in Mitochondria of Single Heart Muscle Cells during Hypoxia and Reoxygenation. *ACS Nano*. 2024;18(4):2982-2991. doi:10.1021/acsnano.3c07959
43. Weyrich LS, Duchene S, Soubrier J, et al. Neanderthal behaviour, diet, and disease inferred from ancient DNA in dental calculus. *Nature*. 2017;544(7650):357-361. doi:10.1038/nature21674
44. Cellular recycling process is key to longer, healthier life. Published May 30, 2018. <https://www.utsouthwestern.edu/newsroom/articles/year-2018/cellular-recycling.html#:~:text=Autophagy%20is%20the%20natural%20mechanism,components%20and%20recycles%20their%20materials.>
45. Hale AN, Ledbetter DJ, Gawriluk TR, Rucker EB 3rd. Autophagy: regulation and role in development. *Autophagy*. 2013;9(7):951-972. doi:10.4161/auto.24273
46. Yu J, et al. The intestinal microbiota and colorectal cancer. *Gut Microbes*. 2015;6(2):186-193. doi:10.1080/19401793.2015.1015916
47. Xie Y, et al. Parasites and cancer: a review. *Infect Agent Cancer*. 2015;10:21. doi:10.1186/s13027-015-0011-6
48. Wolk A. Potential health hazards of eating red meat. *J Intern Med*. 2017;281(2):106-122. doi:10.1111/joim.12543
49. Giovannucci E. Modifiable risk factors for colon cancer. *Gastroenterol Clin North Am*. 2002;31(4):925-943. doi:10.1016/s0889-8553(02)00057-2
50. Saha S, Patel N. What Should I Eat? Dietary Recommendations for Patients with Inflammatory Bowel Disease. *Nutrients*. 2023;15(4):896. Published 2023 Feb 10. doi:10.3390/nu15040896
51. Leeming M. Inflamed 'meat that thinks': A depressed person's perspective on inflammation and depression. *Brain Behav Immun*. 2018;74:1-2. doi:10.1016/j.bbi.2018.07.019
52. Zhang Z, Sun Y, Xue J, et al. The critical role of dysregulated autophagy in the progression of diabetic kidney disease. *Front Pharmacol*. 2022;13:977410. Published 2022 Aug 25. doi:10.3389/fphar.2022.977410
53. Liu S, Yao S, Yang H, Liu S, Wang Y. Autophagy: Regulator of cell death. *Cell Death Dis*. 2023;14(10):648. Published 2023 Oct 4. doi:10.1038/s41419-023-06154-8
54. Mizushima N, Komatsu M. Autophagy: renovation of cells and tissues. *Cell*. 2011;147(4):728-741. doi:10.1016/j.cell.2011.10.026
55. Klionsky DJ, Petroni G, Amaravadi RK, et al. Autophagy in major human diseases. *EMBO J*. 2021;40(19):e108863. doi:10.15252/embj.2021108863
56. Farvid MS, Sidahmed E, Spence ND, Mante Angua K, Rosner BA, Barnett JB. Consumption of red meat and processed meat and cancer incidence: a systematic review and meta-analysis of prospective studies. *Eur J Epidemiol*. 2021;36(9):937-951. doi:10.1007/s10654-021-00741-9
57. Turner ND, Lloyd SK. Association between red meat consumption and colon cancer: A systematic review of experimental results. *Exp Biol Med (Maywood)*. 2017;242(8):813-839. doi:10.1177/1535370217693117
58. Chan DS, Lau R, Aune D, et al. Red and processed meat and colorectal cancer incidence: meta-analysis of

- prospective studies. *PLoS One*. 2011;6(6):e20456. doi:10.1371/journal.pone.0020456
59. Grosso G, La Vignera S, Condorelli RA, et al. Total, red and processed meat consumption and human health: an umbrella review of observational studies. *Int J Food Sci Nutr*. 2022;73(6):726-737. doi:10.1080/09637486.2022.2050996
60. Di Y, Ding L, Gao L, Huang H. Association of meat consumption with the risk of gastrointestinal cancers: a systematic review and meta-analysis. *BMC Cancer*. 2023;23(1):782. Published 2023 Aug 23. doi:10.1186/s12885-023-11218-1
61. Carr PR, Walter V, Brenner H, Hoffmeister M. Meat subtypes and their association with colorectal cancer: Systematic review and meta-analysis. *Int J Cancer*. 2016;138(2):293-302. doi:10.1002/ijc.29423
62. Herndon, D. N. (2012). *Total burn care*. Elsevier Health Sciences.
63. Kowalske KJ. Burn wound care. *Phys Med Rehabil Clin N Am*. 2011;22(2):213-v. doi:10.1016/j.pmr.2011.03.004
64. Harvey JS, Watkins GM, Sherman RT. Emergent burn care. *South Med J*. 1984;77(2):204-214. doi:10.1097/00007611-198402000-00019
65. Herndon, D. N. (2012). *Total burn care*. Elsevier Health Sciences.
66. Kowalske KJ. Burn wound care. *Phys Med Rehabil Clin N Am*. 2011;22(2):213-v. doi:10.1016/j.pmr.2011.03.004
67. Harvey JS, Watkins GM, Sherman RT. Emergent burn care. *South Med J*. 1984;77(2):204-214. doi:10.1097/00007611-198402000-00019
68. Meza-Escobar LE, Rehou S, Jeschke MG. Sepsis Definitions in Burns. *Surg Infect (Larchmt)*. 2021;22(1):28-36. doi:10.1089/sur.2020.297
69. Herndon, D. N. (2012). *Total burn care*. Elsevier Health Sciences.
70. Kowalske KJ. Burn wound care. *Phys Med Rehabil Clin N Am*. 2011;22(2):213-v. doi:10.1016/j.pmr.2011.03.004
71. Harvey JS, Watkins GM, Sherman RT. Emergent burn care. *South Med J*. 1984;77(2):204-214. doi:10.1097/00007611-198402000-00019
72. Hess JM, Stephensen CB, Kratz M, Bolling BW. Exploring the Links between Diet and Inflammation: Dairy Foods as Case Studies. *Adv Nutr*. 2021;12(Suppl 1):1S-13S. doi:10.1093/advances/nmab108
73. Parent MB, Higgs S, Cheke LG, Kanoski SE. Memory and eating: A bidirectional relationship implicated in obesity. *Neurosci Biobehav Rev*. 2022;132:110-129. doi:10.1016/j.neubiorev.2021.10.051
74. Klionsky DJ, Petroni G, Amaravadi RK, et al. Autophagy in major human diseases. *EMBO J*. 2021;40(19):e108863. doi:10.15252/embj.2021108863
75. Zhang Z, Sun Y, Xue J, et al. The critical role of dysregulated autophagy in the progression of diabetic kidney disease. *Front Pharmacol*. 2022;13:977410. Published 2022 Aug 25. doi:10.3389/fphar.2022.977410
